Oroville Facilities FERC Relicensing







SP -T7

Noxious/Invasive Plant



Species
June 2004



Objectives

This study provides information:

- on noxious weed occurrences and distributions within the study area
- on the potential for Project operations to facilitate the spread of noxious plant species within the Project area and downstream waterways
- that can help identify opportunities for enhancement of botanical and wildlife habitats

Study Area

FERC project boundary

 Lower Feather River to confluence with the Sacramento River

A list of noxious/invasive plant species with potential to occur in the study area was compiled from:


- California Invasive Plant Council (Cal-IPC)
- California Department of Food and Agriculture (CDFA
- U.S. Department of Agriculture (USDA)
- Plumas National Forest (USFS)


 A literature review was conducted on rated plant pests found within the study area


 Addressed the biology, ecology, dispersal mechanisms, control measures, and current management activities in PA and adjacent lands

Field studies

- Surveys conducted mostly in conjunction with other botanical studies in 2002/2003
- 9900 acres surveyed
- All non-native plant species noted
- Some species completely surveyed i.e. purple loosestrife
- Data collected with GPS or hand mapped and entered into GIS







Results

- 39 of 64 target species identified in PA
- 33 of these species found below Dam
- 24 species found around Lake Oroville
- Overall, 219 species of non-native plants identified in PA

- Noxious/invasive plants found throughout the PA
- Riparian and wetland margins tend to be the most heavily infested areas
- Weed species most prolific in the OWA
- Water primrose (native and non-native subspecies mapped) - not on lists

Most Invasive Species below the Dam

- Purple loosestrife
- Giant reed
- Tree of heaven
- Scarlet wisteria
- Himalayan blackberry
- Pampas Grass
- Yellow starthistle
- Medusahead

Most Invasive Species around Lake Oroville

- French, Spanish, and Scotch brooms
- Rush skeleton weed
- Tree of heaven
- Himalayan blackberry
- Edible fig
- Yellow starthistle

Purple loosestrife

- Herbaceous perennial that grows rapidly and produces numerous small seeds
- Rapid growth and large reproductive capacity allows it to outcompete native plants
- Forms dense stands that are unsuitable as cover, food, or nesting sites for native animal species
- No natural predators for population control in this area

- Control methods include mechanical (small populations), chemical, and biological control
- Currently, DPR is in their fourth year of chemical treatment around the FB and Diversion Pool
- DFG chemically treated TA and low flow channel (2002 only)
- Biological control agents (beetles and root-boring weevils) have been released in the PA area by CDFA


Purple loosestrife


- Purple loosestrife found in 42 states and rated as serious pest in most
- Common invader of wetland habitats, including stream banks, edges of ponds, lakes, ditches, etc.
- Approximately 85 of the 900 acres of wetland/riparian margin around TA contain varying densities of loosestrife
- Also found around FB, along Diversion
 Pool and low flow channel, and scattered
 throughout the OWA (not found around
 LO)














Tree of heaven

- Rapidly growing deciduous tree
- Trees reproduce both sexually and asexually
- Can produce numerous suckers from roots and resprout vigorously from cut stumps and root fragments
- Can out-compete native vegetation, produces toxic chemicals that inhibit the establishment of other species


- Widely naturalized in California below 6600 feet
- Found in many wastelands and disturbed, semi-natural habitats as well as riparian and other naturally disturbed habitats
- Control methods include mechanical and chemical methods requiring multiple year treatments
- No biological control methods are known
- No management activities for control of tree of heaven in PA


Tree of heaven


- Occurs in PA both above and below the Dam, but most prolific in the OWA
- ~ 990 infestations, ranging from 1 to many dozens of trees
- ~ 350 acres (in varying densities) occur below the Dam (OWA mainly)
- None found around the FB
- Intermingled with valley elderberry in ~250 of the 350 acres











Giant reed

- ◆ Tall, perennial cane-like grass
- Creeping rootstocks form compact masses of rhizomes which can spread and sprout rapidly
- Does not produce viable seed in our area
- Can quickly colonize and outcompete natives

- One of the fastest growing land plants in the world and uses vast amount of water
- Invasive pest throughout the warmer coastal freshwater areas from Maryland to California
- Increases flammability of riparian areas
- Invasion less severe in No. Calif. than So.
 Calif. But is rapidly spreading


- Control methods include mechanical and chemical methods requiring multiple year treatments
- Usually involve chemical treatments alternating with manual removal and yearly follow-up treatments until control is achieved
- No biological pests approved in Calif.
- No local management activities known in PA

- Occurs in PA above and below the Dam
- Only one plant above the Dam outside the PA near Ponderosa Dam on South Fork
- 163 separate infestations mapped below Dam, mainly in the OWA
- 45 sites around TA
- No plants found around FB or Diversion Pool









Scarlet wisteria


- Deciduous riparian shrub or small tree
- Bright showy red flowers that produce hundreds of seedpods that are dispersed by water
- Forms solid stands along riverbanks, displacing native vegetation and wildlife habitat
- All parts of the plant are poisonous to mammals, birds, and reptiles


- Considered serious pest in So. Africa
- In the U.S., has invaded Florida and Georgia to Texas
- Only recently in the Central Valley
- Rapidly expanding its range along rivers in the San Joaquin and Sacramento valleys and in the Delta
- Control methods include mechanical and chemical treatments
- DPR currently treating plants around FB


- Occurs in PA below the Dam
- ~4.5 acres mapped within OWA, FB, and along low flow channel
- No plants seen around the TA or LO
- ◆ 134 small occurrences in OWA
- 18 occurrences around the FB
- More than 3 acres along low flow channel
 forms continuous bands along water's
 edge in some areas



























- Species are on the lists for different reasons – some are agricultural pests; others impact native plant community structure and wildlife habitat
- Most of the weed species occur throughout California
- Most have been in the PA for many years and occur both within and on adjacent lands outside the PA
- Historical and present-day land-use within PA and adjacent lands have contributed to the spread of invasive species

- Fluctuating water levels in the TC and in LO and managed flows in the low flow channel may spread and encourage the proliferation of non-native species
- Maintenance and other land disturbing activities promote the proliferation of invasive species into upland and riparian/wetland areas
- Weed populations within the PA can be spread by vehicular traffic, water movement, recreational use, and any ground-disturbing activity

- Removal of weed species within the PA would enhance native plant communities and wildlife habitat
- Management of important species will help to reduce the number of seeds and/or plant parts that are flushed downstream
- Many of the species within the PA are so widespread that management and/or control is probably not feasible
- Some widespread species, such as tree of heaven, impact "listed" species habitats, so management should be considered

- Although DWR may manage the invasion and distribution of invasive species within the PA, adjacent land use activities will continue to influence the degree of success and/or failure of weed management
- A weed management plan could be developed to address those species considered highest priority
- Widespread species may not be addressed in project-wide management plan, but can be addressed on individual project-byproject basis
- Restoration/planting with native species may be a part of any weed control program